

To: Scott Smith[ssmith@opflexinventor.com]
From: Durno, Mark
Sent: Fri 5/26/2017 6:09:46 PM
Subject: RE: Another Point from CNN

I'll ask, but, I'm sure that our response would have been that sampling from this location cannot be used for regulatory purposes. Again – I'll check. Stay tuned.

Mark Durno

Homeland Security Advisor

Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145

440-250-1743

From: Scott Smith [mailto:ssmith@opflexinventor.com]
Sent: Thursday, May 25, 2017 9:07 PM
To: Durno, Mark <durno.mark@epa.gov>
Subject: Another Point from CNN

Mark,

This is what CNN also said:

Ex. 6 - Personal Privacy *has publicly stated that Scott Smith taught her to sample at the water meter, and that she did so when she submitted her 2016 samples to the EPA, going against protocol. That is clearly against EPA protocol, and the EPA has confirmed that to CNN. Do you have a response to that?"*

Can you find out what the EPA confirmed to CNN? CNN is not being clear and this is an important issue to clear up because CNN's allegation is false. We totally understand that taking a sample from someplace other than the sink is not within protocol for the Lead and Copper Rule or any other regulations and that is what I would like to confirm that the EPA specifically said.

Thanks.

Best Regards,

Scott C. Smith

Cell (508) 345-6520

Twitter: @WaterWarriorOne